



**GRAMIN KRISHI MAUSAM SEVA (GKMS)**  
**BIHAR AGRICULTURAL UNIVERSITY**  
 (Krishi Vigyan Kendra, Katihar)

Ref: 363/2021/AAS/ Katihar

Date of issue: 07/07.2023

**Agromet Advisory Bulletin for Katihar District**  
 (08<sup>th</sup> July, 2023 to 12<sup>th</sup> July, 2023)

Date	Rainfall (mm)	Maximum temperature (°c)	Minimum temperature (°c)	Maximum RH(%)	Minimum RH(%)	Wind velocity (Km/hr.)	Wind direction	Cloud cover
08.07.2023	28	33.1	24.8	84	61	14	South Easterly	Mainly cloudy
09.07.2023	21	34.1	25.5	85	56	14	South Easterly	Mainly cloudy
10.07.2023	40	35.1	26.1	84	57	10	South Easterly	Mainly cloudy
11.07.2023	48	33.5	25.8	86	65	12	South Easterly	Mainly cloudy
12.07.2023	53	28.8	23.1	96	70	11	South Easterly	Mainly cloudy

Main crop	Stage	Agro-advisories
<b>Jute</b>	<b>Vegetative growth</b>	Farmers are advised for monitoring of Jute crop against Catterpillar and semilooapar. These insect turn leaves like net by feeding its leaf. For protection apply Indiksakarb 14.5 SG @ 500 ml/hact. At 15 days interval 2 times.
<b>Animal husbandry</b>	<b>BQ</b>	In BQ, generally 6 month to 2 years animals are affected. In generally it becomes swver in rainy season. In this main symptom is heavy fever, swelling in left in front & back legs and swelling in upper muscle. If such symptoms are observed immediately consult animal doctor.
<b>Goatry</b>		In rainy season Diorrehea is most common in goats. Farmers are suggested to please vaccinate the goats against Diorrehea with PPR vaccine. 3 days Before vaccination give worm killer along with lever tonic.
<b>Kharif paddy</b>	<b>sowing</b>	<ul style="list-style-type: none"> <li>➤ Keeping in view of present weather condition farmers are advised for transplantation of paddy. For transplanting, in maun field use ( half dose dose of urea ans full dose of DAP &amp;MOP, along with Zinc sulphet @ 25 kg/hact.) of RDF.</li> <li>➤ Weed control- for weed control use Pretilaclor 50 EC@ 2.5 to 3 liter./hact. In 700-800 lit of water within 2 to 4 days of transplanting.</li> </ul>
<b>Gardening</b>	<b>Transplantation</b>	Transplant new mango, litchi, and Guava etc. fruit palnt in priorly prepared ditch. Don't transplant during rain.
<b>Animal feed</b>	<b>Sowing</b>	For animal feed sown Paira grass in low land and Shankar Napier in upland.

If you are working in field and not reached to a safe place than to save yourself from lightening – seat down where you are and put some dry material below the foot like-wood, plastic, gunny bag, dry leaves etc. and seat like UKRU (connect your both legs and put down both hand on knee on prospective side and bend your head downward as possible but head don't touch the land.)

Mob. No. - 7634970155

Mob. No. 8051460991

E-mail – [katiharkvk@gmail.com](mailto:katiharkvk@gmail.com)

E-mail – [katiharkvk@gmail.com](mailto:katiharkvk@gmail.com)