

## ACTION PLAN, 2020

### KRISHI VIGYAN KENDRA, PATNA

#### GENERAL INFORMATION ABOUT THE KVK

##### Introduction:

Krishi Vigyan Kendra Agwanpur, Barh (Patna) was established on 1st August, 1992. It is one of the leading institutions for frontline extension education mandated to organize vocational trainings in agriculture and allied sector with emerging advances in agricultural research on regular basis. The centre is also dedicated to organize and conduct front line demonstration in consultation with the subject matter specialists for testing, refining and documenting technologies for developing region specific and sustainable land use system. The centre is working to promote and co-ordinate agricultural and allied activities in farming community and to bring development among the under privileged section in a systematic, productive, sustainable and self-regenerating manner.

Patna district in general and Tal land is especially popular for Rabi pulses like lentil & gram and oilseed like rapeseed & mustard. At the same time the upland of the district is quite suitable for kharif pulses (red gram) and oil seeds (castor and seasmum). Diara land of the Patna district is famous for the production of the almost all crops of Rabi and Summer season but it is flooded during kharif season. The flooded region is rich in organic matter percentage and the productivity of the area is much higher in comparison to upland without the use of organic or inorganic manure / fertilizer. In the past five years the production as well as productivity of these crops has been increased considerably. The main reason for these yield gaps are their relegation on uncared and marginal lands under rainfed situation and imbalance use for fertilizer. This centre is using the latest agro-technologies under the prevailing agro-eco system available to the farmers.

In India pulse covers 13.74% of gross cropped area and account for 6.7% of gross national production with the productivity of 565 kg/ha where as in Bihar it covers 4.75% of gross cropped area with the productivity of 714 kg/ha. Hence, there is large scope to promote the production and productivity of pulses and oilseed in Bihar especially in the Tal region of Patna district.

Address	Telephone	E mail
Agwanpur, Barh, Patna- 803214	7549476543	<a href="mailto:patnakvk@gmail.com">patnakvk@gmail.com</a>

##### 1. Name of host organization : Bihar Agricultural University

Address	Telephone		E mail
	Office	FAX	
Bihar Agricultural University Sabour, Bhagalpur- 813210			

## 2. Staff Position

Sl. No.	Sanctioned post	Name of the incumbent	Designation	Permanent /Temporary	Category (SC/ST/OBC/ Others)
1	Senior Scientist & Head	Dr Kumari Sharda	Senior Scientist & Head	Permanent	Others
2	Subject Matter Specialist	Dr. Mrinal Verma	Subject Matter Specialist	Permanent	Others
3	Subject Matter Specialist	Dr. Bishnu Deo Singh	Subject Matter Specialist	Permanent	Others
4	Subject Matter Specialist	Sri Brajesh Patel	Subject Matter Specialist	Permanent	BC
5	Subject Matter Specialist	Sri Rajeev Kumar	Subject Matter Specialist	Permanent	Others
6	Subject Matter Specialist	Vacant	Subject Matter Specialist	-	-
7	Subject Matter Specialist	Vacant	Subject Matter Specialist	-	-
8	Programme Assistant	Dr. Prakash Chandra Gupta	Programme Assistant (LabTech.)	Permanent	Others
9	Computer Programmer	Sri Akhilesh Kumar	Programme Assistant (Computer)	Permanent	BC
10	Farm Manager	Vacant	Farm Manager	-	-
11	Assistant	Sri Jayant Prasad	Assistant	Permanent	EBC
12	Stenographer	Vacant	-	-	-
13	Driver	Sri Kanhaiya kumar Rai	Driver	Permanent	BC
14	Driver	Vacant	-	-	-
15	Supporting Staff	Bachhan Sah	Messenger cum Peon	Permanent	Others
16	Supporting Staff	Vacant	-	-	-

## 3. Total land with KVK (in ha) :

S. No.	Item	Area (ha)
1	Under Buildings	1.5
2.	Under Demonstration Units	0.3
3.	Under Crops	14.2
4.	Orchard/Agro-forestry	4.0
5.	Others with details	-
	Total	<b>20.0</b>

## 4. Major farming systems/enterprises (based on the analysis made by the KVK)

S. No.	Farming system/enterprise
1	Rice -wheat
2	Rice- wheat –Moong
3	Maize-oilseed-vegetable
4	Rice-Maize-Moong
5	Rice-Potato-Wheat
6	Rice-Potato-Onion
7	Rice-Potato-wheat –maize

8	Rice-Wheat-Mentha
9	Vegetable-oilseed-Moong
10	Vegetable-lentil-Maize
11	Vegetable –gram-Moong
12	Gram- and Lentil in Tal

## 5. About Patna District

DEMOGRAPHIC FEATURES	
Area (in ha.)	3,17,236
No. of Sub-Division	06
No. of Block	23
No. of Gram Panchayat	321
No. of Village	1395
Total Population	5,835,465
Population Density (per sq. km.)	1823
SC Population	9,20,918 (15.8%)
ST Population	16,350 (0.28)
Sex Ratio	897
Literacy rate	70.68%

Source: As per 2011 Census

## 6. Description of Agro-climatic Zone & major agro ecological situations (based on soil and Topography)

S. No	Agro-climatic Zone	Characteristics
1	ACZ-IIIB	Old alluvial sandy loam to clay, large tal and diara areas. Most of rainfall is received in month of July to September bringing with it the problem of recurrent flood. The highest gross irrigated area as percentage of gross cropped area lies in zone III with 76.35% under assured means of irrigation. Despite high gross irrigated area at 76.35% in Zone III, it is low in cropping intensity at only 135.11 % water stagnation for long period during kharif season hampers crop cultivation during Kharif.

Source: Strategic research and extension plan of Patna district- Prepared by ATMA, Patna & National institute of Agricultural Extension Management Rajendra Nagar Hyderabad.

## 7. Agro ecological situation

S. No	Agro ecological situation	Area (ha)	Characteristics
1	Tal	38885.00	Water logging more than 3 months & heavy textured soil
2	Diara	45599.80	Undulated light texture soil
3	Jalla	3508.00	Peculiar situation, water stagnation more than 2 months medium heavy soil, clay loam to clay in texture
4	Irrigated plain	67637.24	Well irrigated plain land & medium to heavy soil irrigated sone

			canal with most fertile land tract of the district
5	Rainfed plain	83403.85	Un irrigated plain land & medium to heavy soil

## 8. Soil types

S. No	Soil type	Characteristics	Area in ha
1	Clay to clay loam	Heavy soils Rap cracking in summer good water holding capacity and fertility status.	38855
2	Sandy loam, light texture soil	Undulated, high sand percentage low water holding capacity medium fertility status	45599
3	Medium to heavy soil	Peculiar situation, water stagnation more than 2 months medium heavy soil, good water holding capacity medium fertility status	51262

## 9. Area, Production and Productivity of major crops cultivated in the district

S. No	Crop	Area (ha)	Production (q)	Productivity (q/ha)
1.	Wheat	95170.0	266190.5	2797.00
2.	Maize	8035.0	35434.0	4410.0
3	Potato	10185	238329.0	23400.0
4	Gram	28000.0	38428.0	1480.0
5	Lentil	46135.0	59514.0	1290.0
6	Pea	2636.0	3110.0	1180.0
7	Lethyrus	10000.0	10200.0	1020.0
8	Lentil	3820.0	2444.0	640.0
9	Barley	7170.00	5664.0	1933.0
10	Mustard/ Rai	7170.0	5664.0	790.0
11	Sunflower	70.0	78.0	1110.0
12	Linseed	3820.0	2444.0	640.0
13	Paddy	135000.0	4064.9	3171.0
14	Maize	10060	29599.5	2856.0
15	Arhar	2977.0	4555.0	1530.0
16	Moong	500.00	366.0	720.0
17	Urd	479.0	326.0	680.0
18	Til	100.00	24.0	450.0
19	Sunflower	24.0	52.0	1120.0
20	Ground Nut	20.0	23.0	1140.0
21	Castor	292.0	298.0	650.0

## 10. Details of operational area / villages

Sl. No.	Name of Taluk	Name of the block	Name of the villages	Major crops & enterprises	Major problems identified (crop-wise)	Identified Thrust Areas
1	Pandarak	Pandarak	Ajgara	Rice, lentil, Maize, oilseed, Wheat	Use of local variety, Imbalance use of fertilizer and maximum use of pesticide	IPM, INM, Improved seed and RCT
2	Pandarak	Pandarak	Dabhama	Paddy, Maize, Lentil, Gram, Lathyrus, coriander, Nigella	Use of local variety, use of higher seed rate, imbalance fertilizer use and maximum use of insecticide & pesticide, no	IPM, INM, Improved seed and Use of biofertilizer

				and dairy	use of biofertilizer, Lack of irrigation facilities	
3	Belchi	Belchi	Tilhar	Vegetable, maize, lentil, oilseed, Poultry and Dairy	Imbalance use of fertilizer, no biofertilizer use and maximum use of pesticide and no vermicomposting	IPM, INM, Improved seed and Use of biofertilizer
4	Belchi	Belchi	Murtuzapur	Rice , wheat, Maize, Pulse, vegetable, Oil seed and dairy	Use of local variety, Imbalance use of fertilizer, use of higher seed rate and maximum use of pesticide	IPM, INM, Improved seed, Use of biofertilizer and rearing improved crossbreds
5	Bikram	Bikram	Baghakol	Rice , wheat	Residue burning	Use of Happy Seeder, ZTD and Bailer
6	Naubatpur	Naubatpur	Anantpur	Vegetables, Cereals and Pulses	Higher dose of Insecticides and pesticides	Organic Farming

### 11. Priority thrust areas

S. No	Thrust area
1.	Use of bio fertilizer and organic manure.
2.	Integrated Nutrient Management
3.	Integrated Pest Management.
4.	Medicinal & aromatic plants for high income return.
5.	Bee keeping and Mushroom production.
6.	Seed production of cereals oilseed, Pulses Vegetables and Spices.
7.	Ensuring availability of mushroom spawn round the year
8.	Farm Mechanization

### 12. Training program to be organized (January 2020 to December 2020)

#### 1. Home Science

Thematic Area	Title of Training	Qr. No.	Duration	Venue OFF/On Campuses	Tentative Date	Participants/Trainees								
						SC		ST		Other		Total		
						M	F	M	F	M	F	M	F	T
Practicing Farmer														
Women and child care	Care of pregnant & lactating women.	3 <sup>rd</sup> Quarter	02	OFF		0	5	0	0	0	15	0	20	20
Value addition	Different recipes of mushroom	3 <sup>rd</sup> Quarter	01	OFF		0	5	0	0	0	15	0	20	20
Minimization	Different cooking methods	4 <sup>th</sup> Qua	02	OFF		0	5	0	0	0	15	0	20	20

of nutrient less in process ing		rtter												
<b>Rural Youth</b>														
Value additio n	Value addition Mushroom	<b>1<sup>st</sup> Qu arte r</b>	01	ON/O F		5	0	0	0	15	0	20	0	20
Value additio n	Value addition Mango.	<b>1<sup>st</sup> Qu arte r</b>	01	ON/O F		5	0	0	0	15	0	20	0	20
Income Generat ion activitie s for woman	Embroidery for income generation	<b>3<sup>rd</sup> Qu arte r</b>	01	ON/O F		0	5	0	0	0	1 5	0	2 0	20
<b>Extension Functionaries</b>														
Capacit y buildin g	Capacity building of Aanganwari workers	<b>3<sup>rd</sup> Qu arte r</b>	01	ON/O F		5	0	0	0	15	0	20	0	20

## 2. Agricultural Engineering

Thema tic Area	Title of Training	Qr. No.	Durati on	Venue OFF/O n Campu s	Tentat ive Date	Participants/Trainees								
						SC		ST		Othe r		Total		
						M	F	M	F	M	F	M	F	T
Practicing Farmer														
Other	Use of Happy Seeder for crop residue management	1 <sup>st</sup> Qua rter	2	ON/OFF		2	0	0	0	23	0	25	0	25
Other	Custom hiring of vertical conveyer reaper for wheat harvesting	-Do-	2	ON/OFF		3	0	0	0	27	0	30	0	30
Nursery manage ment	Technique for raising Mat type nursery	-Do-	2	ON/OFF		5	0	0	0	15	0	20	0	20
Other	Introduction and advantages of DSR Technique by	2 <sup>nd</sup> Qua rter	2	ON/OFF		3	0	0	0	17	0	20	0	20

	seed drill													
Product ion of small tools	Operation of rice wheat seeder for direct sowing of rice	-Do-	2	ON/OFF		3	0	0	0	17	0	20	0	20
Other	Mechanization of harvesting and threshing of paddy.	<b>3<sup>rd</sup> Quarter</b>	1	ON/OFF		3	0	0	0	17	0	20	0	20
Use of plastic in farming practices	Plastic mulching in vegetable crops	-Do-	1	ON/OFF		5	0	0	0	15	0	20	0	20
Resource conservation Technique	Sowing of wheat by seed drill.	-Do-	2	ON/OFF		5	0	0	0	15	0	20	0	20
Other	Use of rotavator for land preparation.	-Do-	1	ON/OFF		3	0	0	0	17	0	20	0	20
Repair and maintains of farm machinery	Self propelled reaper for rice wheat harvesting	<b>4<sup>th</sup> Quarter</b>	1	ON/OFF		4	0	0	0	16	0	20	0	20
Micro-irrigation	Water conservation techniques in irrigation	-Do-	1	ON/OFF		3	0	0	0	17	0	20	0	20
Micro irrigation	Drip irrigation/sprinkler irrigation	-Do-	1	ON/OFF		3	0	0	0	17	0	20	0	20
<b>Rural Youth</b>														
RCT	Mechanization of farm implements	<b>1<sup>st</sup> Quarter</b>	5	ON/OFF		3	0	0	0	17	0	20	0	20

Repair of maintenance of farm implements	Repair and maintenance of different farm machinery	2 <sup>nd</sup> Quarter	5	ON/OFF		3	0	0	0	17	0	20	0	20
Protected cultivation	Resource conservation techniques for vegetable crop.	3 <sup>rd</sup> Quarter	2	ON/OFF		2	0	0	0	18	0	20	0	20
Repair & maintenance farm implements	Custom hiring of agricultural machinery	- Do-	2	ON/OFF		5	0	0	0	15	0	20	0	20
Repair & maintenance farm implements	Developing skills to manufacture small hand tools/ use of small tools for drudgery reduction.	4 <sup>th</sup> Quarter	2	ON/OFF		3	0	0	0	17	0	20	0	20
<b>Extension Functionaries</b>														
Micro Irrigation	Adoption of Drip system by farmers	1 <sup>st</sup> Quarter	1	ON/OFF		0	0	0	0	15	0	15	0	15
Protected cultivation	Zero tillage technology	-3 <sup>rd</sup> Quarter	1	ON/OFF		0	0	0	0	15	0	15	0	15
Care & maintenance of farm implements	Technology of Rotavator operation	4 <sup>th</sup> Quarter	1	ON/OFF		3	0	0	0	17	0	20	0	20



### 3. Extension Education

Thema tic Area	Title of Training	Qrt . No.	Durati on	Venue	Tentati ve Date	Participants/Trainees									
						SC		ST		Othe r		Total			
						M	F	M	F	M	F	M	F	T	
Practicing Farmer															
Group dynami cs	Need and importance of farmers club/SHG	1 <sup>st</sup> Qu arte r	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Formati on and manage ment of SHGs	Formation and management of SHG	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Leaders hip Develo pment	Importance of leadership in the development of Agriculture	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Mobiliz ation of social capital	Effective utilization of social & natural resources.	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Entrepr eneurial develop ment of Farmer s / youth	Development of entrepreneurship skill among Farmers	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Group dynami cs	Need and importance of farmers club/SHG	2 <sup>nd</sup> Qu arte r	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Formati on and manage ment of SHGs	Formation and management of SHG	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Leaders hip Develo pment	Importance of leadership in the development of Agriculture	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20	
Mobiliz ation of social capital	Effective utilization of social & natural resources.	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20	

Entrepreneurial development of Farmers / youth	Development of entrepreneurship skill among Farmers	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
Group dynamics	Need and importance of farmers club/SHG	3 <sup>rd</sup> Quarter	2	ON/OFF		3	0	2	0	10	5	15	5	20
Formation and management of SHGs	Formation and management of SHG	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
Leadership Development	Importance of leadership in the development of Agriculture	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
Mobilization of social capital	Effective utilization of social & natural resources.	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
Entrepreneurial development of Farmers / youth	Development of entrepreneurship skill among Farmers	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
Group dynamics	Need and importance of farmers club/SHG	4 <sup>th</sup> Quarter	2	ON/OFF		3	0	2	0	10	5	15	5	20
Formation and management of SHGs	Formation and management of SHG	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
Leadership Development	Importance of leadership in the development of Agriculture	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
Mobilization of social capital	Effective utilization of social & natural resources.	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20

Entrepreneurial development of Farmers / youth	Development of entrepreneurship skill among Farmers	- do-	2	ON/OFF		3	0	2	0	10	5	15	5	20
<b>Rural youth</b>														
Vermin culture	Vermin composting	1 <sup>st</sup> Quarter	3	ON/OFF		3	0	2	0	15	5	20	5	25
Entrepreneurship	Role of Entrepreneur in Agriculture	- do-	3	ON/OFF		3	0	2	0	15	5	20	5	26
ICT	Use of ICT in Agriculture	2 <sup>nd</sup> Quarter	3	ON/OFF		3	0	2	0	15	5	20	5	27
Integrated farming System	Goatery	- do-	3	ON/OFF		3	0	2	0	15	5	20	5	25
Vermin culture	Vermin composting	3 <sup>rd</sup> Quarter	3	ON/OFF		3	0	2	0	15	5	20	5	25
Formation and management of SHGs	Need and Importance of SHG / Farmers club	- do-	3	ON/OFF		3	0	2	0	15	5	20	5	25
Vermin culture	Vermin composting	4 <sup>th</sup> Quarter	3	ON/OFF		3	0	2	0	15	5	20	5	25
Integrated farming	Dairy farming	- do-	3	ON/OFF		3	0	2	0	15	5	20	5	25
<b>Extension Functionaries</b>														
Formation and management of SHGs	Need and Importance of SHG / Farmers club	1 <sup>st</sup> Quarter	2	ON		5	0	0	0	15	0	20	0	20
Group dynamics	Significance of Group Farming	1 <sup>st</sup> Quarter	2	OFF		5	0	0	0	15	0	20	0	20

Market led Extension	Use of ICT Tools for market access.	2 <sup>nd</sup> Quarter	2	OFF		5	0	0	0	15	0	20	0	20
Leadership Development	Role & Importance of Leaders in managing Groups	2 <sup>nd</sup> Quarter	2	ON		5	0	0	0	15	0	20	0	20
Market led Extension	Use of ICT Tools for market access.	3 <sup>rd</sup> Quarter	2	ON		5	0	0	0	15	0	20	0	20
Vermicompost	Importance of vermicompost in organic farming	3 <sup>rd</sup> Quarter		OFF		5	0	0	0	15	0	20	0	20
Formation and management of SHGs	Capacity building of Extension Functionaries	4 <sup>th</sup> Quarter		OFF		5	0	0	0	15	0	20	0	20
Group dynamics	Significance of Group Farming	4 <sup>th</sup> Quarter	2	ON		5	0	0	0	15	0	20	0	20

#### 4. Plant Protection

Thema tic area	Title of Training	Quarte r	Durat ion	Venue	Tentati ve Date	Participants									
						SC/S T				Othe r		Total			
						M	F	M	F	M	F	M	F	T	
Practicing Farmer															
IPM	Management of diamond back moth in cauliflower	1 <sup>th</sup> Quarter	2	OFF		2	1	0	0	15	2	17	3	20	
IDM	Management of major disease of mango	-Do-	2	OFF		2	1	0	0	15	2	17	3	20	
IDM	Management of early and late blight of potato	-Do-	2	OFF		2	1	0	0	15	2	17	3	20	
IPM	Management of aphids in oilseed crops	-Do-	2	OFF		2	1	0	0	15	2	17	3	20	
IDM	Management of leaf curl disease of tomato	-Do-	2	OFF		2	1	0	0	15	2	17	3	20	

IDM	Management of mal formation in mango	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of stem borer in maize	2 <sup>nd</sup> Quarter	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Integrated disease management in vegetable crops	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
Product ion of bio control agent and bio pesticide	Importance of NPV in controlling fruit and shoot borer of Brinjal	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of stem borer in paddy	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of bacterial leaf blight in paddy	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of damping off in nursery of vegetable crop	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of cut worm in lentil and gram	3 <sup>rd</sup> Quarter	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of seed and soil born disease of lentil	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
Product ion of bio control agent and bio pesticide	Importance of pheromone trap in managing fruit and shoot borer in brinjal	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of white fly in solanaceae vegetable	-Do-	2	OFF		2	1	0	0	15	2	17	3	20

IDM	Management of rust in lentil	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
Product ion of bio control agent and bio pesticide	Importance of NPV in controlling pod borer of gram	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Importance of deep ploughing in pest management	4 <sup>th</sup> Quarter	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of Yellow vein mosaic in Bhindi	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
Product ion of bio control agent and bio pesticide	Importance of NPV in controlling fruit and shoot borer of Brinjal	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Integrated pest management in maize	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Integrated disease management in onion	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
Product ion of bio control agent and bio pesticide	Preparation of neem Kernel extract for controlling insect pest	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
<b>Rural youth</b>														
Crop diversification	Button mushroom cultivation	1 <sup>st</sup> Quarter	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Button mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20

Crop diversification	Oyster mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Milky Mushroom cultivation	2 <sup>nd</sup> Quarter	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Milky Mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Paddy straw mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Oyster mushroom cultivation	3 <sup>rd</sup> Quarter	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Button mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Oyster mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Milky Mushroom cultivation	4 <sup>th</sup> Quarter	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Milky Mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20
Crop diversification	Paddy straw mushroom cultivation	-Do-	3	ON		2	1	0	0	15	2	17	3	20
<b>Extension functionaries</b>														
IPM	Management of early and late blight of potato	1 <sup>st</sup> quarter	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of nematode problem in soil	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of anthracnose and die back disease in mango	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of major insect pest of vegetable crops	2 <sup>nd</sup> quarter	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of major disease of paddy	-Do-	2	OFF		2	1	0	0	15	2	17	3	20

IDM	Management of collar rot disease of papaya	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of major insect pest of pulse crops	3 <sup>rd</sup> quarter	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of major disease of pulse and oilseed crop	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Importance of seed treatment in controlling major disease of wheat	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
IPM	Management of major insect pest of maize	4 <sup>th</sup> quarter	2	OFF		2	1	0	0	15	2	17	3	20
IDM	Management of mosaic disease in moong	-Do-	2	OFF		2	1	0	0	15	2	17	3	20
Product ion of bio control agent and bio pesticide	Importance of bio control agent in managing insect pest of Paddy	-Do-	2	OFF		2	1	0	0	15	2	17	3	20

## 5. Soil Science

Thematic area	Title of Training	Quarter	Duration	Venue	Tentative Date	Participants									
						SC		ST		Other		Total			
						M	F	M	F	M	F	M	F	T	
Practicing Farmer															
Soil health and fertility management	Importance of balanced fertilizer application in onion production	1 <sup>st</sup> Quarter	2	OFF		4	1	0	0	18	2	22	3	25	



Soil and water testing	Importance of soil and water testing for better crop production	-Do-	2	OFF		4	1	0	0	18	2	22	3	25
Integrated nutrient management	Integrated nutrient management in paddy	-Do-	2	OFF		4	1	0	0	18	2	22	3	25
Production and use of organic input	Vermicompost production techniques	-Do-	2	ON		4	1	0	0	18	2	22	3	25
Micronutrient deficiency in crop	Importance of secondary and micronutrient in crop production	-Do-	2	OFF		4	1	0	0	18	2	22	3	25
Soil and water testing	Importance of soil and water testing for better crop production	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Soil fertility management	Nutrient management in maize	2 <sup>nd</sup> Quarter	2	OFF		5	0	0	0	18	2	23	2	25
Soil and water conservation	Importance of BGA application in water conservation in paddy	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Integrated nutrient management	Integrated nutrient management in paddy	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Nutrient use efficiency	Importance of PSB application in enhancing P use efficiency	-Do-	2	OFF		4	1	0	0	18	2	22	3	25
Management of problematic soil	Reclamation of usar land	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Micronutrient deficiency in crop	Role and deficiency symptoms of zinc in paddy	-Do-	2	OFF		5	0	0	0	18	2	23	2	25

Soil fertility management	Importance of balanced fertilizer application in vegetable crop	3 <sup>rd</sup> Quarter	2	OFF		5	0	0	0	18	2	23	2	25
Soil and water testing	Importance of soil testing for better crop production	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Integrated nutrient management	Integrated nutrient management in pulses	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Management of problematic soil	Reclamation of usar land	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Micronutrient deficiency in crop	Importance of boron nutrition in managing hollow heart and browning of cauliflower	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Nutrient use efficiency	Importance of PSB culture in improving P use efficiency	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Soil fertility management	Importance of green manuring in soil fertility management	4 <sup>th</sup> Quarter	2	OFF		5	0	0	0	18	2	23	2	25
Soil and water conservation	Importance of growing cover crop in soil and water conservation	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Integrated nutrient management	Integrated nutrient management for sustainable agriculture production	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Micronutrient deficiency in crop	Importance of Fe and Zn containing fertilizer in managing leaf chlorosis in	-Do-	2	OFF		5	0	0	0	18	2	23	2	25

	paddy													
Nutrient use efficiency	Importance of using neem and sulphur coated urea in improving N use efficiency	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
Soil and water testing	Importance of soil and water testing for better crop production	-Do-	2	OFF		5	0	0	0	18	2	23	2	25
<b>Rural Youth</b>														
Soil health and fertility management	Practical hand on soil testing using soil testing kit	1 <sup>st</sup> quarter	3	ON		5	0	0	0	16	4	21	4	25
Production and use of organic inputs	Blue green algae production technique	-Do-	3	ON		5	0	0	0	16	4	21	4	25
Production and use of organic inputs	Vermicompost production and their marketing	2 <sup>nd</sup> quarter	3	ON		5	0	0	0	16	4	21	4	25
Production and use of organic inputs	Blue green algae production technique	-Do-	3	ON		5	0	0	0	16	4	21	4	25
Production and use of organic inputs	Practical hand on soil testing using soil testing kit	3 <sup>rd</sup> quarter	3	ON		5	0	0	0	16	4	21	4	25
Production and use of organic inputs	Vermicompost production and their marketing	-Do-	3	ON		5	0	0	0	16	4	21	4	25
Production and use of organic inputs	Vermicompost production and their marketing	4 <sup>th</sup> quarter	3	ON		5	0	0	0	16	4	21	4	25
Production and use of organic inputs	Practical hand on soil testing using soil testing kit	-Do-	3	ON		5	0	0	0	16	4	21	4	25
<b>Extension functionaries</b>														

Soil health and fertility management	Fertilizer recommendation for rice through crop manager (webapp)	1 <sup>st</sup> quarter	1	OFF		2	0	0	0	16	2	18	2	20
Integrated nutrient management	Integrated nutrient management in Paddy	-Do-	1	OFF		2	0	0	0	16	2	18	2	20
Micronutrient deficiency in crops	Fertilizer recommendation for rice through crop manager (webapp)	2 <sup>nd</sup> quarter	1	ON		2	0	0	0	16	2	18	2	20
Integrated nutrient management	Role of green manuring in soil fertility management	-Do-	1	OFF		2	0	0	0	16	2	18	2	20
Integrated nutrient management	Integrated nutrient management in pulses	3 <sup>rd</sup> quarter	1	OFF		2	0	0	0	16	2	18	2	20
Micronutrient deficiency in crops	Fertilizer recommendation for wheat through crop manager (webapp)	-Do-	1	OFF		2	0	0	0	16	2	18	2	20
Integrated nutrient management	Fertilizer recommendation for Maize through crop manager (webapp)	4 <sup>th</sup> quarter	1	OFF		2	0	0	0	16	2	18	2	20
Micronutrient deficiency in crops	Role of micronutrient, their deficiency, symptoms and corrective measures for different crops.	-Do-	1	OFF		2	0	0	0	16	2	18	2	20

### 13. Frontline demonstration to be conducted\* 2020

Sl. No	Season	Crop	Variety	Area in ha.	No. of Demonstration
1	Kharif	Paddy	Sabour Ardhjal	10	50
2		Paddy with Zink sulphet	Sabour Ardhjal	02	10
		Paddy with use of transplanter	Sabour Ardhjal	02	10
		Fodder crop	Napier	01	200
6	Rabi	Wheat	Sabour Shamridhi	02	10
7		Wheat	Sabour Nirjal	05	25
8		Wheat	HD-2967 (Happy Seeder)	10	25
9		Pulses	Rizobium Culture	40	20
10		Mushroom	Oyster		50
11		Mushroom	Button		20
12		Mushroom	Milky		20
13		Animal Feed	Pasu Chocklate		20
14		Preservative	Sodium Benjoate, KMS & Citric Acid		25
15		Coriander	-	05	10

Sl. No.	Crop & variety / Enterprises	Proposed Area (ha)/ Unit (No.)	Technology package for demonstration	Parameter (Data) in relation to technology demonstrated	Cost of Cultivation (Rs.)			No. of farmers / demonstration								
					Name of Inputs	Demo	Local	SC		ST		Other		Total		
								M	F	M	F	M	F	M	F	T

#### Extension and Training activities under FLD:

Activity	Title of Activity	No.	Clientele	Duration	Venue On/Off	No. of Participants								
						SC		ST		Other		Total		
						M	F	M	F	M	F	M	F	

\* Repeat the above tables and information in Point no. 4 for EACH FLD being proposed.

#### a) Seed and planting material production by utilization of instructional farm (Crops / Enterprises)

Name of the Crop / Enterprise	Variety / Type	Period From..... to .....	Area (ha.)	Details of Production				
				Type of Produce	Expected Production (quintals)	Cost of inputs (Rs.)	Expected Gross income (Rs.)	Expected Net Income (Rs.)
Paddy					150			
Gram					40			
Wheat					50			
Mustard					25			
Linseed					10			
Mango					1000 plants			

Guava					1000 plants			
Citrus					500 plants			
Ornamental					100 plants			

#### b) Village Seed Production Programme

Name of the Crop / Enterprise	Variety / Type	Period From..... to .....	Area (ha.)	No. of farmers	Details of Production				
					Type of Produce	Expected Production(q)	Cost of inputs (Rs.)	Expected Gross income (Rs.)	Expected Net Income (Rs.)

#### 14. Extension Activities

Nature of Extension Activity	No. of activities	Total		
		Male	Female	Total
Field Day	12	220	110	330
KisanMela	6	100	50	150
KisanGhoshthi	10	100	50	150
Method Demonstrations	10	50	10	60
Group meetings	8	200	100	300
Lectures delivered as resource persons	5	100	50	150
Advisory Services	150	200	100	300
Scientific visit to farmers field	40	80	40	120
Diagnostic visits	280	200	50	250
Exposure visits	2	100	25	125
Soil health Camp	2	400	100	500
Soil test campaigns	2	300	100	400
Scientific visit to farmers field	35	781	241	1022
Farmers visit to KVK	204	800	300	1100
Swatchta Hi Sewa	15	450	154	604

**15. Revolving Fund (in Rs.)**

<b>Opening balance of 2019-2020 (As on 01.04.2019)</b>	<b>Amount proposed to be invested during 2020-21</b>	<b>Expected Return</b>
<b>3136338.55</b>	<b>1000000</b>	<b>1500000</b>

**16. Expected fund from other sources and its proposed utilization**

<b>Project</b>	<b>Source</b>	<b>Amount to be received (Rs. in lakh)</b>
<b>BSDM</b>	<b>ASCI</b>	<b>1164089</b>
<b>RKVY</b>	<b>ASCI</b>	<b>337182</b>

**17. On-farm trials to be conducted\*****ON FARM TRIAL (2020-21)****OFT: 1 (Agricultural Engineering)**

<b>1</b>	<b>Title of On Farm Trial</b>	Assessment of different bag storage method to minimize losses in storage
<b>2</b>	<b>Thematic Area</b>	Post-Harvest Management
<b>3</b>	<b>Details of Technologies selected for Assessment</b>	<b>Farmers Practice-</b> Storage in Plastic Bag  <b>Tech Option I-</b> Storage in thin PVC bag and putting in Plastic Bag  <b>Technology Option II-</b> Storage in Hermetic Bag and putting in Plastic Bag
<b>4</b>	<b>Source of Technology</b>	University of Illinois, USA, BAU Sabour
<b>5</b>	<b>Performance Indicator</b>	Moisture Content %, Germination Rate %, Storage Loss%, BC ratio
<b>6</b>	<b>Replication</b>	10
<b>7</b>	<b>Production system and thematic area</b>	Pulse- Fallow
<b>8</b>	<b>Constraints identified</b>	Storage loss during storage of pulses resulting poor income
<b>9</b>	<b>Process of Farmer Participation</b>	



**OFT: 2 (Agricultural Engineering)**

1	<b>Title of On Farm Trial</b>	Assessment of different Mulching Materials in production of Vegetables
2	<b>Thematic Area</b>	Use of Plastic in Agriculture
3	<b>Details of Technologies selected for Assessment</b>	<b>Farmers Practice-</b> Without Mulching  <b>Tech Option I-</b> Mulching with paddy straw  <b>Technology Option II-</b> Mulching with Plastic Mulching Material
4	<b>Source of Technology</b>	BAU Sabour
5	<b>Performance Indicator</b>	No of irrigation, weed population/m <sup>2</sup> , yield q/ha & BC ratio
6	<b>Replication</b>	10
7	<b>Production system and thematic area</b>	Pulses- Vegetables
8	<b>Constraints identified</b>	High cost of weeding and water utilization.
9	<b>Process of Farmer Participation</b>	

**OFT: 3 (Extension Education)**

1	<b>Title</b>	Assessment of yield of different varieties of Soyabean in patna district.
2	<b>Problem diagnosed</b>	Lack of awareness among farmers regarding benefits of Cultivation of soyabean.
3	<b>Details of Technology</b>	<b>Farmes Practices</b> : local variety  <b>Option I</b> : Soyabean Variety-pusa -9712  <b>Option II</b> : Soyabean Variety-JS-80-21  <b>Option III:</b> Soyabean Variety-JS-335
4	<b>Source of technology</b>	IARI, New Delhi
5	<b>No. of Farmers</b>	07
6	<b>Production system and TheamaticArea</b>	Crop Diversification
7	<b>Constraints identified and Feedback of research</b>	

8	<b>Performance of Technology Performance Indicator</b>	Plant Population/m <sup>2</sup> , No. of pod/plant, 1000 seed with weight, Yield , B.C. ratio, Soil test report
9	<b>Process of Farmers Participation &amp; their reaction</b>	

**OFT: 4 (Extension Education)**

1	<b>Title</b>	Poor pace of dissemination of information through traditional channel.
2	<b>Problem diagnosed</b>	Effect of Whatsapp Tecnology on different stake holder for Strengthening agricultural extension system
3	<b>Details of Technology</b>	<b>Option I</b> : Vegetable grower (Okra) <b>Option II</b> : Cereals grower (Rice) <b>Option III</b> : Pulse grower (Lentil )
4	<b>Source of technology</b>	BAU, Sabour, Bhagalpur
5	<b>No. of Farmers</b>	
6	<b>Production system and Thematic Area</b>	Information Communication Technology (ICT)
7	<b>Performance of Technology with performance indicator</b>	Increase in knowledge level, difference in cost of cultivation , yield, B:C Ratio
8	<b>Final Recommendation for Micro level Situation</b>	
9	<b>Process of Farmers Participation and their reaction</b>	

**OFT : 5 (Plant Protection)**

1	<b>Title</b>	Management of charcoal rot in chickpea and Lentil
2	<b>Problem diagnosed</b>	The above ground symptoms include yellowing and stunting of plant and premature ripening of pods. The roots are black (charcoal ), discoloration of roots and lack of feeder roots.
3	<b>Technological option</b>	<b>Farmer practices</b> ( without seed treatment)  <b>Technological option I</b> :- Seed treatment with Azoxystrobin (23%) @ 1 ml/kg seed (2 spray after & before flower)  <b>Technological option II</b> :- Seed treatment with Carbendazim

		(50 WP) @ 2 g /kg seed
4	<b>Source of Technology</b>	BAU, Sabour Bhagalpur
5	<b>Replication</b>	05
6	<b>Production system and thematic area:</b>	Rice- chickpea, Integrated Disease Management
7	<b>Performance of the technology with performance indicators</b>	The incidence of disease, yield q/ha, BC ratio
8	<b>Constraints identified</b>	
9	<b>Process of Farmer Participation</b>	Seed, Chemical and fertilizer

**OFT-: 6 (Plant Protection)**

1	<b>Title</b>	Assessment of different management practices for control of root rot and wilt complex in lentil.
2	<b>Problem diagnosed</b>	Due to lack of management practices the lentil crop is infested by root rot resulting poor yield.
3	<b>Technological option</b>	<p><b>Farmers Practice:</b> Seed treatment with Carbendazim 50 % WP @ 2gm/Kg of Seed. (2 spray after &amp; before flower)</p> <p><b>TO I:</b> - Seed treatment with Azoxystrobin @ 1ml per kg of seed</p> <p><b>TO II:</b> - Seed treatment with Azoxystrobin @ 1ml per kg of seed +soil drenching with copper oxychloride 50% WP @ 3 gm/litre of water</p>
4	<b>Source of Technology</b>	BAU Sabour
5	<b>Replication</b>	05
6	<b>Production system and thematic area:</b>	Pulse- Fallow, IDM
7	<b>Performance of the technology with performance indicators</b>	The incidence of disease, plant mortality, yield, BC Ratio
8	<b>Constraints identified</b>	
9	<b>Process of Farmer Participation</b>	

**OFT: 7 (Soil science)**

1	<b>Title</b>	<b>Evaluation of phosphate management through different sources for enhancing productivity of Arhar in Patna district.</b>
2	<b>Problem diagnosed</b>	<b>Poor nutrient management Practices leads to low yield and profitability</b>
3	<b>Technological option</b>	Farmers Practice- No fertilizer application in Arhar crop. Technological Option I:- RDF i.e use of N @ 20 kg/ha, P <sub>2</sub> O <sub>5</sub> @ 40 kg/ ha (basal) and K <sub>2</sub> O @ 20 kg/ ha (basal) (Through DAP and MOP) Technological Option II:- Seed treatment with Rhizobium and PSB, 40 Kg P <sub>2</sub> O <sub>5</sub> /ha P <sub>2</sub> O <sub>5</sub> through SSP and 20 Kg K <sub>2</sub> O/ha through MOP. (In all technological option seed treatment will be done as per standard Practice, Pheromone trap will be used @10 trap/ha)
4	<b>Source of Technology</b>	BAU, Sabour
5	<b>Replication</b>	07
6	<b>Production system and thematic area:</b>	Maize/Arhar - Green gram
7	<b>Performance of the technology with performance indicators</b>	No. of Branch / Plant, No. of Pod / Branch, No. of seed / pod, yield (q/ha), B:C ratio
8	<b>Constraints identified</b>	
9	<b>Process of Farmer Participation</b>	

**OFT: 8 (Soil science)**

1	<b>Title</b>	<b>Evaluation of Sulphur and Boron Application in mustard on crop yield.</b>
2	<b>Problem diagnosed</b>	<b>Deficiency of Sulphur and Boron leads to poor crop yield of mustard.</b>
3	<b>Technological option</b>	<b>Farmers Practice:</b> Use of N @ 75 kg/ha P <sub>2</sub> O <sub>5</sub> @ 55 kg/ha.  TOI- RDF i.e use of N @ 60 kg/ha (1/2 basal + 1/2 at flowering stage) P <sub>2</sub> O <sub>5</sub> @ 40kg/ha (basal) K <sub>2</sub> O@ 40 kg/ha (basal)  <b>TO II-</b> RDF+20kg/S/ha  <b>TO III-</b> RDF+ 20kg/S/ha+1 kg/ B/ha.
4	<b>Source of Technology</b>	BAU, Sabour
5	<b>Replication</b>	06
6	<b>Production system and thematic area:</b>	Rice- Mustard/Wheat- Green gram
7	<b>Performance of the technology with performance indicators</b>	No. of branch / plant, No. of pod / branch, No of seed / Siliqua, yield (q/ha), B:C ratio
8	<b>Constraints identified</b>	

9	Process of Farmer Participation	
---	---------------------------------	--

**18. List of Projects to be implemented by funding from other sources (other than KVK fund)**

Sl. No.	Name of the project	Fund expected (Rs.)
1	CSISA	1,60,000.00
2	BGREI	15,000.00
3	ICDS	-
4	CRA	50,000.00

**19. No. of success stories proposed to be developed with their tentative titles - Two**

**20. Scientific Advisory Committee**

Date of SAC meeting held during 2019-20	Proposed date during 2020-21
31.08.2019	August, 2020

**21. Soil and water testing**

Details	No. of Samples	No. of Farmers									No. of Villages	No. of SHC distributed
		SC		ST		Other		Total				
		M	F	M	F	M	F	M	F	T		
Soil Samples	500							355	145	500	25	500
Water Samples	-											

**22. Fund requirement and expenditure (Rs.)\***

Item	Fund required for 2020-21
Pay & Allowances	1,65,00,000.00
TA	2,00,000.00
Contingency	19,00,000.00
HRD	1,00,000.00
NR	10,00,000.00

\* Any additional requirement may be suitably justified.

**23. Every KVK should bring a brief write-up supported by quality photographs about the technology having wide acceptability among the farming community of the district with factual data**