



Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for HAMIRPUR District
Banda University of Agriculture and Technology, Banda
 Kanpur, Uttar Pradesh



Agromet Advisory Bulletin

Date : 2026-10-19

Weather Forecast of District HAMIRPUR (Uttar Pradesh) Issued On : 2026-10-19 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-10-20	2026-10-21	2026-10-22	2026-10-23	2026-10-24
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	35.0	35.0	35.0	36.0
Tmin(°C)	23.0	22.0	21.0	21.0	21.0
RH-I(%)	54	54	55	55	54
RH-II(%)	29	19	19	20	16
Wind Speed(kmph)	4	0	1	2	6
Wind Direction(Degree)	59	360	214	233	230
Cloud Cover(Octa)	0	0	0	0	0
Warning	NA	NA	NA	NA	NA

Forecast Summary:

As per weather forecast, there is chance of no cloud cover and there is chance of no rain fall during the next 4-5 days. The maximum and minimum temperature ranges between 34.0-36.0 and 21.0-23.0 Deg.C. The maximum and minimum relative humidity ranges between 54.0-55.0 and 16.0-29.0%. Mostly wind direction south-western, Wind will blow at 0.0-6.0 kmph.

As per weather forecast, there is chance of no cloud cover and there is chance of no rain fall during the next 4-5 days. The maximum and minimum temperature ranges between 34.0-36.0 and 21.0-23.0 Deg.C. The maximum and minimum relative humidity ranges between 54.0-55.0 and 16.0-29.0%. Mostly wind direction south-western, Wind will blow at 0.0-6.0 kmph.

Weather Warnings (Valid Till 08:30 IST of the next day)

No Warning
No Warning

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

No Warning
No Warning

General Advisory:

As per weather forecast, there is chance of no rainfall during the next 4-5 days. Farmers are advised to ploughing and planking should be done properly to conserve moisture in the soil. Soil treatment should be done. After harvesting of kharif crops soil sample should be collected from fields and fertilizers should be used in the crops on soil test based. Well decomposed FYM or compost should be used before sowing of crops and vegetable. Bunds, channels, uncultivated fields and field roads should be free from weeds.

As per weather forecast, there is chance of no rainfall during the next 4-5 days. Farmers are advised to ploughing and planking should be done properly to conserve moisture in the soil. Soil treatment should be done. After harvesting of kharif crops soil sample should be collected from fields and fertilizers should be used in the crops on soil test based. Well decomposed FYM or compost should be used before sowing of crops and vegetable. Bunds, channels, uncultivated fields and field roads should be free from weeds.

SMS Advisory:

As per weather forecast, Farmers are advised to soil and seed should be treated before sowing of seeds.

As per weather forecast, Farmers are advised to soil and seed should be treated before sowing of seeds.

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
FIELD PEA (Sowing)	As per weather forecast, Farmers are advised to start sowing of rabi crops like gram, field pea, lentil, mustard etc at the month of October under suitable moisture condition. New released varieties should be used for sowing of crops. Suitable varieties of rabi crops are as: Chick pea-JG14, RVG202, RVG203, Lentil-IPL.316, KLB.320, Field pea-IPFD.4-9, IPFD10-12, Prakash, Vikas, Mustard - Giriraj, RH 749, Urvashi, Maya, Ashirwad, Pitambari etc.
FIELD PEA (Sowing)	As per weather forecast, Farmers are advised to start sowing of rabi crops like gram, field pea, lentil, mustard etc at the month of October under suitable moisture condition. New released varieties should be used for sowing of crops. Suitable varieties of rabi crops are as: Chick pea-JG14, RVG202, RVG203, Lentil-IPL.316, KLB.320, Field pea-IPFD.4-9, IPFD10-12, Prakash, Vikas, Mustard - Giriraj, RH 749, Urvashi, Maya, Ashirwad, Pitambari etc.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
GARLIC (Sowing)	Sowing should be done of fenugreek & garlic. Before sowing, be sure to take proper moisture in the soil. Improved varieties of garlic: G-1, G-41, G-50, G-282. Well decomposed organic manure and phosphate fertilizer should apply in the field.
GARLIC (Sowing)	Sowing should be done of fenugreek & garlic. Before sowing, be sure to take proper moisture in the soil. Improved varieties of garlic: G-1, G-41, G-50, G-282. Well decomposed organic manure and phosphate fertilizer should apply in the field.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
COW	As per weather forecast, Farmers are advised to vaccination should be done in goat for control of PPR disease. De-worming should be done in the calves of dairy animals. Butox or cleaner 2 ml/liter of water is used to control of external-parasite in animals. Create smoke in the cattle shed to prevent from mosquitoes and other insects. 50-60 grams salt must be feeded of animals with water.
COW	As per weather forecast, Farmers are advised to vaccination should be done in goat for control of PPR disease. De-worming should be done in the calves of dairy animals. Butox or cleaner 2 ml/liter of water is used to control of external-parasite in animals. Create smoke in the cattle shed to prevent from mosquitoes and other insects. 50-60 grams salt must be feeded of animals with water.

Likely impacts of weather warnings (General)

No Warning
No Warning

Impact based advisories (General)

No Warning
No Warning

Farmers are advised to download Unified “Mausam” and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>

